

-  Media
-  Employment
-  Contact



Australian Government

Department of the Environment and Energy

Science and research

Australian Biological Resources Study

[ABRS priorities](#)

[Bush Blitz](#)

[Databases and online resources](#)

[Funding and research !\[\]\(4b7a79268f6ba26c1471d4232fffa85a_img.jpg\)](#)

[Grants !\[\]\(95b425611cbd2b8716a140cf67c81822_img.jpg\)](#)

[Workshops and forums](#)

ABRS Publications

[ABRS identification series](#)

[Algae of Australia](#)

[Australian Flora and Fauna Series](#)

[Fauna of Australia](#)

[Flora of Australia](#)

[Flora of Australia Supplementary Series](#)

[Fungi of Australia](#)

[Species Plantarum Flora of the World](#)

[Zoological Catalogue of Australia](#)

The Marine Benthic Flora of Southern Australia, Rhodophyta — Part IIIA

Bangiophyceae and Florideophyceae (Acrochaetiales to Gigartinales)

OUT OF PRINT

[Contents \[show\]](#)

This volume continues the landmark series begun in 1984, providing monographic accounts of the marine algae of southern Australian shores.

In this volume Emeritus Professor Womersley presents the first part of his treatment of the red algae, in the same format as adopted for the Seagrasses, Chlorophyta &

Charophyta (1984) and for the Phaeophyta & Chlorophyta (1987). Seven orders, 27 families, 97 genera and 234 species are described, with keys for their identification , their distribution, full Australian synonymies, typification, and references to other major literature.

Given the difficulty of accurate identification of most of these plants, an extremely valuable feature of the work is the inclusion of detailed drawings of the vegetative and reproductive structures of each species, and inclusion of habit photographs of representative taxa.

Six co-authors contributed to accounts of various families or orders: K.S. Edyvane, M.D. Guiry, J.M. Huisman, G.T. Kraft, J.A. Lewis and W.J. Woelkerling. There are 35 new taxa or new combinations, including one new generic name, as well as commentary on the taxonomic and nomenclatural standing of many others.

This book is an essential reference work on an important group of organisms. It will have relevance far beyond the shores of southern Australia.

About the Senior Author

Emeritus Professor Womersley has an outstanding international reputation for his research on the marine algae of southern Australian shores. He spent 40 years as a researcher and lecturer in phycology at the University of Adelaide, and in retirement has continued work in association with the State Herbarium of South Australia. He has published over 80 papers on marine algae, including substantial ecological and monographic accounts. His taxonomic work is being brought together in this series.

About this book

Book series: [Flora of Australia Supplementary Series](#), Number 1

Publisher: Australian Biological Resources Study

Year: 1994

Authors: H.B.S.Womersley & co-authors

ISBN-10: 0 642 19807 1

ISBN-13: 978 0 642 19807 5

Size: 250 × 176 mm (B5)

Number of pages: 508 pages, index, bibliography

Binding: Softcover, section stitched

Illustrations: 14 colour plates, 167 black and white plates, 4 maps

More about publications


- ⇒ [CD-ROMs](#)
- ⇒ [Electronic books and other tools](#)
- ⇒ [Free products](#)
- ⇒ [Guidelines for authors](#)
- ⇒ [How to order](#)
- ⇒ [Other publications](#)
- ⇒ [Posters](#)

Publications by subject

- [Complete list](#)
- [Algae](#)
- [Bryophytes](#)
- [Fauna](#)
- [Fungi](#)
- [Lichens](#)
- [Protists](#)
- [Vascular flora](#)

Series

- [ABRS Identification Series](#)
- [Algae of Australia](#)
- [Australian Flora and Fauna Series](#)
- [Fauna of Australia](#)
- [Flora of Australia](#)
- [Flora of Australia Supplementary Series](#)
- [Fungi of Australia](#)
- [Species Plantarum Flora of the World](#)
- [Zoological Catalogue of Australia](#)



Flora of Australia Supplementary Series
1:
The Marine Benthic Flora of Southern Australia, Rhodophyta — Part IIIA Bangiophyceae and Florideophyceae (Acrochaetiales to Gigartinales)
cover

ABOUT US >

- [Accountability & reporting](#)
- [Databases](#)
- [Departmental structure](#)
- [Legislation](#)
- [Online Services](#)
- [Websites](#)

CONNECT >

- [Media centre](#)
- [Latest news](#)
- [Public consultation](#)

QUICK LINKS >

- energy.gov.au
- [Coal, Coal seam gas and water](#)
- [Information for farmers](#)
- [Ministers for the Environment and Energy](#)

OUR PORTFOLIO >

- [Australian Antarctic Division](#)
- [Australian National Botanic Gardens](#)
- [Bureau of Meteorology](#)
- [Clean Energy Regulator](#)
- [Great Barrier Reef Marine Park Authority](#)
- [Sydney Harbour Federation Trust](#)
- [More...](#)

ENVIRONMENT AND ENERGY >

John Gorton Building
King Edward Terrace
Parkes ACT 2600
GPO Box 787
Canberra ACT 2601
[Contact us](#)

© Commonwealth of Australia



[Accessibility](#)

[Disclaimer](#)

[Privacy](#)

[Freedom of Information](#)

[Help](#)

[Contact us](#)

Rhodophyta. Part IIIC, Ceramiales – Ceramiaceae, Dasyaceae. State Herbarium of South Australia (North Terrace, Adelaide, South Australia 5000), 1998, 535 pp. Soft covers: Aus \$75+postage. ISBN 0 7308 6215 1. (Can be purchased and paid for on: www.fbga.asn.au). Full text views reflects the number of PDF downloads, PDFs sent to Google Drive, Dropbox and Kindle and HTML full text views. Total number of HTML views: 0. Total number of PDF views: 0 *. Loading metrics Abstract views. Abstract views reflect the number of visits to the article landing page. Total abstract views: 0 *. Loading metrics Request PDF on ResearchGate | The marine Acrochaetiaceae (Rhodophyta) of southern Africa | An investigation of the hitherto little explored red algal family Acrochaetiaceae on the southern African coast has yielded a total of 20 species so far. They are representatives of the genera *Acrochaetium* (7 species), *Audouinella* (6 species), *Colaconema* (6 species) and... Part 1 provides an introduction to the study and pictures and descriptions of 29 red algal species and 1 red algal unknown that we discovered. According to the present data, the marine benthic flora of Namibia comprises 196 taxa (147 Rhodophyceae, 20 Phaeophyceae, 15 Ulvophyceae, 6 Cladophorophyceae and 8 Bryopsidophyceae), 21 of which has not been recorded from this coasts.